


NX


MOVES YOUR HEART

NX 350h





Design _____ LEXUS NX



The front profile expresses the NX's originality





The Lexus NX design embodies originality and dynamism, with a taut, compact front profile featuring a lightweight Spindle Grille and signature 3-eye projector headlamps that emphasise a powerful, athletic stance.





At the rear, the distinctive L-shaped light bar combination lamps and Lexus logo create a sleek, modern identity.

A cockpit based on the Tazuna Concept



Inside, the Tazuna Concept cockpit strengthens communication between driver and car with an intuitive layout that aligns displays and controls for effortless operation.



A 14-inch centre display integrates key functions with both touch and dial switches for ease, while meters and a colour head-up display ensure clear, driver-focused information.

Lighting that combines elegance with the spirit of 'omotenashi' hospitality



Interior Illumination

Enhancing the experience, ambient interior illumination offers 14 theme colours and 50 customisable options, blending elegance with Lexus' spirit of Omotenashi hospitality to create an environment that is both refined and emotionally engaging.

Driving Signature ____ LEXUS NX




A smoothly accelerating $0.002487\ m^3$ Engine



0.002487 m³ Engine

The 2.5 Litre in line 4-cylinder engine provides linear, smooth acceleration in response to the driver's acceleration operation. It realizes high-speed combustion through the use of high-efficiency intake ports to increase airflow in the combustion chamber. In addition, advanced technologies including multi-hole direct injectors, continuously variable-capacity oil pump, variable cooling system, and VVT-iE further contribute to powerful performance together with outstanding fuel efficiency and a high level of environmental performance.*

Body and mechanism: Contributing to outstanding ride comfort and smooth steering feel



High-Rigidity, Lightweight Body

Frame section connections were reinforced and panel joints strengthened by various means, including expanding the area of joints, optimizing the application of bonding technologies and materials in different locations, and the use of high-rigidity foam material in the rear pillars. In addition, a twin hood lock construction design that uses the hood as a rigid member provides excellent front lateral flex rigidity, endowing the NX with exceptional body rigidity. Materials and manufacturing techniques were reviewed to reduce the weight of the body and outer panel parts, with a priority on higher parts to lower the center of gravity, to help suppress roll while cornering





Suspension (Front/Rear)

Lexus aimed for a composed steering feel with clear straight-line stability, and a flat, road-hugging posture. Suspension bushes feature low-torsion characteristics, while the shock absorbers reduce shock and vibration to deliver a quality ride. When turning, the suspension was engineered to yield a clear driving feel in response to steering inputs and broad, reassuring behavior at the limits. Additional enhancements that include high-rigidity/low-friction suspension characteristics, optimal axial force (friction) of the shock absorbers at very low speeds, and high roll rigidity, help realize a smooth, linear initial response to steering operation; a stable, visually appealing stance during cornering; and effective steering and stable control at the limits.

Dynamic performance that contributes to driving performance and a quiet cabin during high-speed driving



Aerodynamic Performance

Development of the NX's aerodynamics focused on control technologies that utilize aerodynamic forces on the front, sides, rear and even under the floor to enhance driving performance. For example, the front bumper was shaped to generate longitudinal vortices to control the flow of air along the sides of the vehicle, while a flush belt molding helps generate a strong and stable vortex on the upper surface to regulate airflow, contributing to exceptional handling stability. Additional enhancements to control air flow across the vehicle include fins on the rear bumper to suppress turbulent airflow behind the rear tires, openings in the rear bumper to reduce up and down movement on the springs, and an engine under cover that contributes to excellent straight-line stability during high-speed driving.

Quietness


Development of the NX focused closely on providing the exceptional quietness embedded in Lexus DNA.

Enhancing Quietness While High-Speed Cruising

To reduce variations in noise levels due to varying vehicle speeds while driving, we focused on the low to mid frequencies which cause a high level of cabin noise. In addition, we implemented vibration-damping measures on panels such as the hood and side doors, which can vibrate noticeably because of fluctuations in air pressure during high-speed cruising.

Enhancing Quietness During Wet Weather Driving


To realize a comfortable cabin space regardless of the driving conditions, measures to reduce the splashing noise during wet weather driving focused on areas around the tires and under covers.



Hub Bolt Fastening Construction

Adopting a hub bolt fastening construction enhances high axle rigidity and reduces unsprung weight, contributing to a crisp steering feel with clear feedback and high-quality ride comfort. A black coating enhances the appearance of the wheels and ornamentation.

Lexus Electrified ____ LEXUS NX



Lexus Hybrid Drive: Responding to the driver's intentions



Lexus Hybrid Drive

The 4th generation, large-capacity hybrid system combines a highly-efficient 0.002487 m³ Engine (2.5 Litre) in line 4-cylinder engine with a high-output motor. It effectively combines a highly responsive engine, lithium-ion battery with enhanced battery performance, and hybrid system control with revised drive force characteristics to realize a high level balance between exhilarating driving performance and excellent fuel economy.

Specifically, the drive force characteristics were developed to deliver smooth and direct start-off/acceleration characteristics in the form of linear vehicle G force in response to accelerator operation, and a continuous acceleration feel at mid accelerator operation. It also provides cruising and following characteristics to easily maintain vehicle speed and distances between vehicles.



E-Four

E-Four realizes stable driving performance by using the motor to drive the rear wheels when starting off or driving on slippery surfaces such as snow-covered roads. The front-rear power distribution is precisely controlled in ratios between 100:0 and 20:80 to provide excellent acceleration when starting off, and cornering stability in line with the driver's intentions.

Advanced Safety____ LEXUS NX



Pre-Collision System: Anticipating a broad range of scenarios



The Lexus NX integrates advanced safety and driver-assist systems to anticipate risks and enhance confidence behind the wheel. Its Pre-Collision System uses radar and camera sensors to detect vehicles ahead and alert the driver of potential collisions, while Dynamic Radar Cruise Control maintains safe following distances and adjusts speed through curves for greater convenience.



Lane Departure Alert and Lane Tracing Assist work together to keep the vehicle centred and stable, even on gentle curves.

Note: Vehicles pictured and specifications detailed in this catalog may vary from models and equipment available in your area. Please inquire at your local dealer for details on the availability of features.




Automatic high-beam control supports comfortable driving



AHS (Adaptive High-beam System)

Night driving is supported by the Adaptive High-beam System, which precisely controls 12 LEDs in each headlamp to maximise visibility without dazzling other road users. The innovative E-Latch system replaces traditional latches with electronic controls, enabling smooth, one-touch door operation, complemented by additional safety features like Rear Crossing Traffic Alert and Rear Camera Detection, which monitor vehicles and pedestrians when reversing. Meanwhile, the Blind Spot Monitor provides clear alerts during lane changes, ensuring safer manoeuvres in traffic. Together, these technologies embody Lexus' focus on intelligent safety, convenience, and peace of mind.

Realizing smooth, one-action door operation





E-Latch

An e-latch system replaces the conventional door latch/unlatch mechanism with an electronic control that opens and closes doors smoothly with no wasted movements, like a sliding shoji paper door. To open a door when getting in, simply press the switch on the inside of the door handle while pulling the handle towards you in the usual way. When getting out, the door opens in a single action by pressing a switch while holding the pull handle.



SRS Airbag System

17

The NX's SRS Airbag System includes front airbags, a driver's knee airbag, side airbags, and curtain shield airbags, providing comprehensive protection by cushioning impact and reducing injury in both frontal and side collisions.

F Sport _____ LEXUS NX



Exclusive features including 50.8cm (20 inch) aluminum wheels, lower` bumper spoilers, and front side garnish exude a sporting presence



- A: F Sport Emblem
- B: Fender Arch Moldings
- C: Grille
- D: Lower Bumper Spoiler
- E: Garnish
- F: Roof Rails (black)
- G: Exclusive 50.8 cm (20 Inch) Aluminum Wheels

Performance dampers and AVS (Adaptive Variable Suspension system) enhance exhilarating F SPORT driving performance



Exclusive F Sport Tuning

F SPORT front and rear performance dampers quickly absorb flex and minute vibrations in the body while driving, to further sharpen handling characteristics, and enhance ride comfort and quietness. In addition, linear solenoid type AVS provides excellent damping force switching response. It contributes to shock isolation and a flat ride posture even on roads with large undulations and small rough areas, enhancing the excellent steering response and stability, while contributing to outstanding ride comfort.





Heightening distinctive F SPORT individuality



Exclusive F SPORT Interior

The F SPORT steering wheel, front seats, aluminum pedals, shift lever and exclusive enhancements boost sports driving control and enjoyment.



Exclusive F SPORT Seats

The F SPORT seats are specially designed to provide the firm support required for exhilarating sports driving.

Overtrail Grade _____ LEXUS NX



NX Overtrail: Embark on new adventures in the great outdoors



A: Front grille (bright black machined)

B: Door mirrors (black paint)

C: Door frame and door belt molding (black stainless)

D: Roof rails (black)

E: Outside door handles (black paint)

F: 45.72 cm wheels





Overtrail Grade Performance

The exclusive functionality of the Overtrail exterior design is complemented by enhancements for enjoying outdoor adventures. A higher body on the LDT (Light Duty Truck) provides extra ground clearance, AVS which controls damping force on all four wheels in response to driving operation and road conditions that integrates control of the AWD, braking, drive force and AVS, contribute to excellent driving and occupant comfort, especially when driving on rough surfaces.

Enriching your outdoor lifestyle




Overtrail Exclusive Exterior
The exterior design is coordinated with black
elements to create a toned look. In addition,
45.72 cm tires and a higher minimum ground
clearance than the standard specification
improve its ability to tackle rough roads.



Overtrail exclusive body colour Moon Desert A special colour that emphasizes the three-dimensional effect with metallic shading and gives a feeling of high quality that is typical of Lexus.



Spindle Grille (matte black paint)



45.72 cm wheels (matte black paint)



Roof rail (black)
Door handle (black)
Door mirror (black painted garnish)
Door window frame molding (black)

Overtrail Grade Interior

The interior of the Overtrail blends a refined premium quality with a distinct design, creating an elegant space for enjoying adventures. It is coordinated with a Monolith palette complemented by exclusive Geo Layer inspired by nature, shaping a luxurious outdoor experience that touches all five senses.






Ornament Panel Geo Layer

The contrast of light and shade extracted from the natural colours of the earth and trees found in rare nature is used to express designs and textures that are both bold and delicate.

Other Equipment ____ LEXUS NX



Comfort features




Panoramic Roof

A panoramic roof is available with opening/closing movable glass adopted for the front section. The roof construction has been changed from the current all-fixed glass to a construction with an outer sliding moveable glass for the front section (opening amount: 269.3 mm). The rear end of the panoramic roof has been extended to enhance the rear seat daylighting.

DIGITALLY RENDERED IMAGE.

A sound system delivering deep, sharp bass



Mark Levinson Premium Surround Sound System

A Mark Levinson Premium Surround Sound (17 U Speakers) System is available, delivering high-quality sound reproduction worthy of a high-end audio system in all music genres. The Mark Levinson Premium Surround Sound System supports high-resolution audio to create a performance space that exceeds conventional CDs by reproducing the balanced and detailed expression of a live performance, such as the soft sounds produced by string instruments. The Mark Levinson PurePlay concept is used to achieve pure, distortion-free sound. Matching the heights of 7 Unity speakers and positioning them to surround the cabin creates the feeling of a live stage, with clear and unified mid-high range reproduction throughout the cabin. The system also features QLS (Quantum Logic Surround) sound technology to realize a precise stage feel, localization, and dynamic playback, and Clari-Fi compressed audio source reproduction technology to reproduce sound as close to the original as possible. A 25cm box subwoofer under the rear deck provides deep, crisp and loud bass.

A cockpit layout focused on driving



Shift Lever and Shift Knob

The shift lever is designed to provide a satisfying operating feel with gating that clicks sharply into position. With a short stroke and reduced peak load during shift operation, the lever feels light and easy to use. The shift knob was developed to provide the soft, moist feel of genuine leather, with a shape that is easy to grip and use.



Center Console Features

With a 75mm diameter base, the cup holders can accommodate a range of cups and tumblers. With non-slip mats in the bottom, you can open plastic drink bottles with one hand while driving, without looking away from the road. Slide-open tray: The storage and charging tray integrated in the front of the center console features a simple slide opening, helping to minimize the eye movement required to access the tray, supporting focused concentration on driving. Double door console box lid: The lid is designed to provide easy access to the console box from both the driver's seat and the passenger's seat.

A large, easily-accessible luggage space



Luggage Space

The luggage space provides ample storage space with the rear seats up, and can be expanded as required by folding one or more of the rear seats down. Convenient side nets enable stowing of small items. Two lamps in the deck sides and one in the back door provide good illumination at night. In addition, a 3-way deck board that is easily folded with one hand, lets you change the layout to accommodate different sizes and amounts of luggage. The bifold design of the lightweight tonneau cover provides a wide opening for luggage, and enables easy folding and storage under the floor when not in use.



Hands-Free Power Back Door

Even if both hands are full, when carrying the Electronic Key you can open and close the back door automatically by moving your foot under the rear bumper and out again. Refinements enhance fast, quiet operation, and a buzzer confirms when to move your foot out.

Other equipment




Drive Mode Select

Drive mode select provides integrated control of multiple systems, offering enhanced driving pleasure by allowing the driver to select drive modes to suit the situation and their preferred driving style. For models with AVS, drivers can select from Normal, Eco, Sport S, Sport S+ and Custom Mode. In addition, Custom Mode allows the driver to customize their preferred settings for the powertrain, AVS, EPS and air conditioning.



Wireless Charging

Enables wireless charging of Qi-compatible smartphones and electronic devices simply by placing them on the charger tray.









33






Every Lexus vehicle is created with a masterful skill and attention to detail inspired by both traditional artisanship and state-of-the-art engineering. For example, at the Tahara plant in Japan, precision components made using leading-edge digital technology are assembled and finished by master craftsmen called Takumi, whose technical expertise and sure senses are honed by decades of rigorous experience.

We seek innovation in every facet of engineering through a sophisticated fusion of seemingly incompatible ideas such as 'high performance yet high fuel efficiency'. In addition, unique Lexus styling is born of our L-finesse design language, a fine balance of 'Leading-edge' and 'finesse', which ensures every Lexus is not only captivating and luxurious, but also highly refined. Finally, every new Lexus model is also measured against a set of internal standards covering design, performance, specifications and equipment, to ensure it is distinctive and worthy of the Lexus emblem.

CONNECTIVITY

Lexus Connect seamlessly integrates the NX and smartphone, offering remote access, real-time updates, and intelligent insights—all designed to enhance every drive with effortless convenience and control.



DIGITALLY RENDERED IMAGE.

NX COLOURS COMBINATIONS

Exquisite & Luxury



Sonic Titanium <1J7>



White Nova Glass Flake < 083>



Sonic Chrome <1L1>



Graphite Black Glass Flake <223>



Radiant Red <3T5>

Overtrail



Moon Desert <4Z1> (Exclusive to Overtrail)



White Nova Glass Flake < 083>



Graphite Black Glass Flake < 083>

F Sport



Heat Blue Contrast Layering $\langle 8X1 \rangle$ (F SPORT)

35 DIGITALLY RENDERED IMAGE.

INTERIOR COLOURS COMBINATIONS

Exquisite & Luxury



Hazel



Solis White

F-Sport



Black

36

<ALLOYS>

Exquisite & Luxury



50.8cm (20-inch) Dark Gray Metallic 235/50R20 EMT (Extended Mobility Tires)

$\mathsf{F}\,\mathsf{Sport}$



50.8cm (20-inch) Black 235/50R20 EMT (Extended Mobility Tires)

Dark Rose

Overtrail



Monolith

Overtrail



45.72cm (18-inch) Matte Black 235/60R18 EMT (Extended Mobility Tires)

NX 350h SPECIFICATIONS

Exterior Features	EXQUISITE	OVERTRAIL	LUXURY	F SPORT
3-eye Bi-Beam LED headlamps with auto-leveling system	•	•	•	•
Headlamp Cleaner	•	•	•	•
ED turn signal lamps	•	•	•	•
ED DRL (Daytime Running Lamp)	W/o Cut Switch	W/o Cut Switch	W/o Cut Switch	W/o Cut Switch
ED Front and Rear fog lamps	•	•	•	•
ED Rear Combination Lamp & Light Bar Lamp End to End	•	•	•	•
	•	•	•	•
Cornering Lamp				
ED High Mount Stop lamp	On Rear Spoiler	On Rear Spoiler	On Rear Spoiler	On Rear Spoiler
Panoramic Roof Slide	UV & IR Cut Slide	UV & IR Cut Slide	UV & IR Cut Slide	UV & IR Cut Slide
loof Rail	Silver	Black	Silver	Black
Outside rear view mirror (Auto, EC, Heater)	Visor cover-Body Colour	Visor cover-Black + IR Function	Visor cover-Body Colour + IR Function	Visor Cover-Black Paint + IR Function
MT (Extended Mobility Tire)	•	•	•	•
ront Bumper & Grille/Rear Bumper	Normal	Bright Black Machined	Normal	F Sport
Sport front fender emblems, Fender arch moldings	X	X	X	•
Vindshield & Front Side glass-Green UV Acoustic	•	•	•	•
ont, Rear QTR Glass & Back Glass-Green UV	•	•	•	•
ear Side Glass-Light Green UV	•	•	•	•
nterior Features				
ccelerator Pedal	Organ Type	Organ Type	Organ Type	Organ Type Sport
rake Pedal	Pendant Type			
rake Pedai hift Lever & Knob Shift by Wire W/Park Switch Shift by Wire W/Park	гепаапстуре	Pendant Type	Pendant Type	Pendant Type Sport
witch Shift by Wire W/Park Switch	Shift by Wire W/Park Switch	Shift by Wire W/Park Switch	Shift by Wire W/Park Switch	Shift by Wire W/Park Switch
folour head-up display-touch tracing operation	•	•	•	•
side Rear View Mirror-EC	•	•	•	•
oor Scuff Plate	FR: SUS, RR: RESIN	FR: SUS, RR: RESIN	FR: SUS, RR: RESIN	F Sport FR: SUS, RR: RESIN
ont Seat	Normal	Overtrail	Normal	F Sport
ear Seat	60/40 Power Folding	60/40 Power Folding	60/40 Power Folding	60/40 Folding
eat Cover Material	Leather	Synthetic Leather	Leather	F Sport
eat Lumbar Support (D)	Power 4-Way	Power 2-Way	Power 4-Way	Power 2-Way
ront Headrest-Adjustable	Vertical	Vertical & Front Rear	Vertical	Vertical & Front-Rear
EAR Headrest-Vertical	•	•	•	•
Cupholders (Front and outboard Rear seats)	•	•	•	•
eat Back Pocket (Front Seat only)	•	•	•	•
ront Seat Adjuster (Power 8-way(D+P) + Memory(D)	•	•	•	•
eat A/C Ventilated (FR Seat)	•	•	•	•
Door Courtesy, Glove Box, Room, Luggage Room Lamp	•	•	•	•
Vireless charger	X	•	•	•
ackage Tray Trim & tonneau cover		•	•	•
loor Trim Ornament	Wood		Wood	
		Geo Layer		Aluminum
Supholders (Front 2 and outboard Rear seats 2)	•		•	
teering wheel	Leather	Leather + Heater	Leather + Heater	Sports + Heater
uto air conditioning system & clean air filter with Minusion Generator (Nano-E)	•	•	•	•
comfort & Convenience				
steering Column (EPS Tilt & Telescopic) with Protector	•	•	•	•
teering wheel Touch control switches	•	•	•	•
Hybrid Sequential (S-Mode) Shift Matic	•	•	•	•
Prive Mode Select	Eco-Normal-Sport	Eco-Normal-Sport S-Sport S+	Eco-Normal-Sport	Eco-Normal-Sport S-Sport S+
V Mode with Switch	e e e e e e e e e e e e e e e e e e e	e e e e e e e e e e e e e e e e e e e	e e e e e e e e e e e e e e e e e e e	
osition memory switches (Front seats); 3-memory	•	•	•	•
Outside and inside door handles-e-latch system	•	•	•	•
·	•	•	•	•
Card Key		Panoramic View Monitor with	Panoramic View Monitor with	Panoramic View Monitor with
anaromic View Monitor ower Back Door	X	Switch With Kick Sensor	Switch With Kick Sensor	Switch With Kick Sensor
JWEL DACK DOOL	•	With Kick Sensor		
EE4 MALLIEL MINA DO A			•	•
15.56cm (14 Inch) Electro Multi Vision Display exus Navigation system 1ultimedia Audio System	Lexus Premium Audio 10 U Speakers	Mark Levinson with 17 U Speakers	Mark Levinson with 17 U Speakers	Mark Levinson with 17 U Speakers

NX 350h SPECIFICATIONS

Comfort & Convenience	EXQUISITE	OVERTRAIL	LUXURY	F SPORT
Air Conditioner-Auto Dual Controlled	•	•	•	•
Center Console-2 USB Ports (Type C & A) & DC 12V Accessory Socket	•	•	•	•
Console Rear end panel-2 Type-C USB Ports & DC 12V Accessory Socket	•	•	•	•
AVS (Adaptive Variable Suspension)	X	•	X	•
Connected Technology	•	•	•	•
Antenna-Radio+Shark Fin	•	•	•	•
Safety				
Lexus Safety System + 3 (LSS +3)	•	•	•	•
Pre-Collision System (PCS) Vehicle Detection with Alarm Only-Stationary/Preceding Vehicle Only	•	•	•	•
Dynamic Radar Cruise Control (Adaptive-Full Speed Range)	•	•	•	•
Lane Tracing Assist (LTA)	•	•	•	•
Lane Departure Alert (LDA) with Steering Assist	•	•	•	•
Automatic High Beam (AHB)	•	•	•	•
Adaptive High-beam System(AHS)	•	•	•	•
Clearance sonar	•	•	•	•
RCTA-Rear Crossing Traffic Alert and RCD-Rear Camera Detection	•	•	•	•
Blind Spot Monitor System	•	•	•	•
TRC (Traction control System)	•	•	•	•
VSC (Vehicle Stability Control), TSC (Trailer Sway Control), ACA (Active Cornering Assist)	•	•	•	•
Pitch and Bounce Control	•	•	•	•
Vehicle Motion Control-Logitudinal Control	•	•	•	•
ABS (Anti-lock Brake System)	•	•	•	•
Brake Assist System	•	•	•	•
Parking Brake-EPB with Brakehold	•	•	•	•
Hill-Start Assist control (Uphill & Downhill)	•	•	•	•
Front & Rear Performance Rod	Χ	•	X	•
"Front Seat Belt-3 Point ELR (Emergency Locking Retraction) + TR (Tension Reducer); Pretensioner & Force Limiter"	•	•	•	•
Rear Seat Belt-3 Point ELR + Pretensioner & Force Limiter, Middle seat-3 point ELR	•	•	•	•
lire Pressure Warning System	•	•	•	•
Anti Theft System (Silen, Glass, Sensor, Angle)	•	•	•	•
8 SRS (Supplemental Restraint System) Airbags (Dual-stage (Driver), Single-stage (Front passenger), knee airbag (Driver), side airbags (Front seats) Front Center (Front seats), Curtain shield (Front and Rear door windows)	•	•	•	•

SPECIFICATIONS

DIMENSIONS & WEIGHT

Overall length: 4660mm
Overall width: 1865mm

Overall height: 1670mm Wheelbase: 2690mm

Tread: Front 1605mm

Rear 1625mm

Curb weight: 1790-1870 kg
Gross vehicle weight: 2380 kg
Cargo Space - All Seats Up
Cargo Space Max
1411 L
Fuel Tank Capacity 55 Litre

ENGINE

39

Type: 2.5 Litre, 4-cyl. in-line Twin Cam 16-valve

(A25B-FXS)

Piston displacement: 2487 cm³

Fuel Injection System SFI (D-4S) (Sequential Fuel Injection)

Intake SystemNatural AspirationFuel TypeGasoline (Petrol)Max. Output137 kW /6000 rpmMax. Torque (Nm/Rpm)238 Nm /4300-4500 rpm

Fuel Economy 20.26 Kmpl

MOTOR GENERATOR

Front Motor Permanent Magnet Synchronous

Max Output 134 kW
Max Torque 270 Nm

Rear Motor Permanent Magnet Synchronous

Max Output 40 kW Max Torque 121 Nm

HYBRID BATTERY

Battery Type Lithium-ion Battery

Nominal Voltage 259 V Total System Output 176 kW

 $\begin{array}{ll} \mbox{Performance} & \mbox{Max. Speed 200 km/h} \\ \mbox{Acceleration} & \mbox{O to 100(km/h) 7.7 sec} \end{array}$

Transmission Type-CVT Layout AWD

Brake Type Front - Ventilated Disc

Rear - Ventilated Disc

Suspension Type Front - MacPherson Strut

Rear - Double-wishbone

Min. Turning Radius Tire - 50.8 cm (20 inch)

Tires & Wheels Type - 235/50R20 EMT - Extended Mobility Tire

235/60R18 EMT Extended Mobility Tire

(Specific to Overtrail Variant)

Power Steering Type - EPS (Rack Assist) + Variable

DIMENSIONS





^{*1} The area the cameras can show is limited. Be sure to visually check your surroundings before you proceed.

If the underfloor, see-through function is turned on in the center display settings, it will automatically appear when the vehicle starts to move when the Panoramic View Monitor is active.

